



Van Stone, Tapered Shank, 1" and 1-1/2" Nominal Pipe Size

1/4" NOMINAL BORE



3/8" NOMINAL BORE



GENERAL INFORMATION					PART #
C	R	S	U	P	
1.315"	2"	4"	2-1/2"	1	10 W 0250 HV 260
1.900"	2-7/8"			1-1/2	15 W 0250 HV 260
1.315"	2"	6"	4-1/2"	1	10 W 0450 HV 260
1.900"	2-7/8"			1-1/2	15 W 0450 HV 260
1.315"	2"	9"	7-1/2"	1	10 W 0750 HV 260
1.900"	2-7/8"			1-1/2	15 W 0750 HV 260
1.315"	2"	12"	10-1/2"	1	10 W 1050 HV 260
1.900"	2-7/8"			1-1/2	15 W 1050 HV 260
1.315"	2"	15"	13-1/2"	1	10 W 1350 HV 260
1.900"	2-7/8"			1-1/2	15 W 1350 HV 260
1.315"	2"	18"	16-1/2"	1	10 W 1650 HV 260
1.900"	2-7/8"			1-1/2	15 W 1650 HV 260
1.315"	2"	24"	22-1/2"	1	10 W 2250 HV 260
1.900"	2-7/8"			1-1/2	15 W 2250 HV 260

GENERAL INFORMATION					PART #
C	R	S	U	P	
1.315"	2"	4"	2-1/2"	1	10 W 0250 HV 385
1.900"	2-7/8"			1-1/2	15 W 0250 HV 385
1.315"	2"	6"	4-1/2"	1	10 W 0450 HV 385
1.900"	2-7/8"			1-1/2	15 W 0450 HV 385
1.315"	2"	9"	7-1/2"	1	10 W 0750 HV 385
1.900"	2-7/8"			1-1/2	15 W 0750 HV 385
1.315"	2"	12"	10-1/2"	1	10 W 1050 HV 385
1.900"	2-7/8"			1-1/2	15 W 1050 HV 385
1.315"	2"	15"	13-1/2"	1	10 W 1350 HV 385
1.900"	2-7/8"			1-1/2	15 W 1350 HV 385
1.315"	2"	18"	16-1/2"	1	10 W 1650 HV 385
1.900"	2-7/8"			1-1/2	15 W 1650 HV 385
1.315"	2"	24"	22-1/2"	1	10 W 2250 HV 385
1.900"	2-7/8"			1-1/2	15 W 2250 HV 385

LEGEND

C = Base diameter
R = Raised face diameter
S = Bore depth = instrument element length including its threads
U = Shank length
P = Nominal backup flange size

Specify Material Coding
At End Of Part #
(See inside cover)

C - AISI 304
S - AISI 316

To order plug and chain add a suffix to the part number.
For brass, add 1. For stainless add 2.

